



PRO AUDIO CASES

Superior Protection and Effortless Mobility





Pictured from left to right:
SKB Owners/Founders
Dave Sanderson and Steve Kottman



OUR STORY

美国SKB产品中国总代理 www.sikeb.com

In 1977, two ambitious college students developed the first SKB case in a small Anaheim, California garage. Today, SKB Corporation is known around the world as the leading innovator and manufacturer of the finest musical instrument and equipment cases. Since the inception of our company, in addition to SKB branded products, leading companies have proudly supplied SKB cases for protection of their own products. SKB builds cases for five different major markets (Music, Camera/Video, Sports, Industrial and Military) and this diversity allows us to be more creative and innovative in our case designs across the board. We remain dedicated to the assurance that every case with a SKB logo has been manufactured with an unconditional commitment to unsurpassed quality.

Professional Audio Engineers understand the value of SKB transport products. With a wide variety of transport systems for mixers, rack systems and accessories, SKB provides maximum protection, effortless mobility and in-use functionality.



One of our injection molders in action

INJECTION MOLD

This is SKB's latest venture in our quest to provide the most innovative hard shell case products. Injection molding is an expensive investment and there is no room for error. Made with extreme pressure, even the smallest injection molded part requires a very large and heavy mold. SKB has molds that are nearly 20 tons! Many of our parts, such as our patented Trigger Latches are produced by the injection mold process. Our 3i case series includes a gasket that makes the case watertight and dust proof. Our latest injection molded cases for guitars and basses are very popular with touring musicians. These cases have dual lives as they are also used for military weapons. Never before has an ATA flight case been so lightweight, yet so advanced.



Molds rotating during production

ROTO-MOLD

In 1997, SKB invested in roto-mold machinery. These molds are ideal for making larger cases and cylindrical cases. The PE roto-mold material starts as a fine powder that is measured according to the size of the case. The material is then sealed up in a multi-piece aluminum mold and fixed on a biaxial rotating wheel. The material is heated at 800° in a very large oven while constantly rotating. The powder melts and coats the inside of the mold and after cooling, the cast is disassembled and the case is removed. Roto-Molding is great for providing maximum protection and can withstand maximum impact in transport.



Vacuum mold for keyboard case

VACUUM FORM

Also known as thermal form, this was the first and most recognized "SKB Style" case. This method is very popular for guitar or band instrument cases. In 1990, SKB developed the first vacuum formed rack case. Acrylonitrile Butadiene Styrene (ABS) or Polyethylene (PE) is formed into solid sheets of material. The sheets are heated and are vacuum formed around aluminum castings, thus taking the shape of the mold. The edges have the distinctive aluminum valance that provides rigid construction as well as a secure fit. Vacuum formed products are known for their light weight and extreme durability.



Gig Rigs

1SKB19-R1406

Specifications:

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 14U+, 7° angled top threaded steel rails for secure mounting of popular mixers
- 6U threaded vertical steel rails on front and back
- Unique 3-piece design uses the top cover as a pedestal when attached to wheeled base



Step 1

Gig Rig is lockable and stores/travels as a solid cube



Step 3

Attach lid to bottom caster skid



Step 2

The lid will be used as a pedestal



Step 4

Attach mixer section to top of lid (puts mixer at proper height)



美国SKB产品中国总代理 www.sikeb.com

Rack Expander



Add an additional 12U (6U front/6U back) for additional Gig Rig rack storage. Top lid of Expander is removable for complete cable access between Gig Rig and Expander.

Features




4 over-molded, spring loaded handles for easy maneuvering



Back of rack is 8" deep to accommodate back load mixers

Accessories



A – 1SKB-AV14 Scissor Shelf
B – 1SKB-VS-2 7° Shelf
C – 1SKB-VS-1 Pullout Shelf

1SKB19-R1208

Specifications:

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 12U+, 7° angled top threaded steel rails for secure mounting of popular mixers
- 8U threaded vertical steel rails on front and back
- Unique 3-piece design uses the top cover as a pedestal when attached to wheeled base

Rack Expander



The 1SKB-R1906 rack expander provides an extra 12U (6U front/6U back) to R1208 Gig Rig. Includes 4 locking casters.



Features



2 extra-long injection molded handles for two hand lifting

Accessories



1SKB-AV8 Scissor Shelf

Gig Rigs Model #	Top Rack	Vertical Front Rack	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB19-R1406	14U	6U Front 6U Back	26" 66.04 cm	32.25" x 24" x 26.5" 81.92 cm x 60.96 cm x 67.31 cm	55.5 lbs 25.17 kg
1SKB19-R1208	12U	8U Front 8U Back	19" 48.26 cm	27.5" x 23.5" x 29.5" 69.85 cm x 59.69 cm x 74.93 cm	68.6 lbs 31.12 kg

Rack Expanders Model #	Fits	Vertical Front Rack	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB19-REX6	1SKB19-R1406	6U Front 6U Back	26" 66.04 cm	32.25" x 24" x 17.75" 81.92 cm x 60.96 cm x 45.08 cm	38.4 lbs 17.42 kg
1SKB-R1906	1SKB19-R1208	6U Front 6U Back	20.75" 52.71 cm	15" x 25.5" x 26" 38.1 cm x 64.77 cm x 66.04 cm	35.8 lbs 16.24 kg

Accessories Model #	Material	Rack Unit Required	Surface Dims W x D	Product Weight
1SKB-AV14 <i>Only for 1SKB19-R1406</i>	Plastic Shelf Metal Scissor Hinge	14U 7° Top Rack	16" x 16.5" 40.64 cm x 41.91 cm	6.8 lbs 3.08 kg
1SKB-AV8	Metal Shelf Metal Scissor Hinge	8U 7° Top Rack	17" x 11" 43.18 cm x 27.94 cm	6 lbs 2.72 kg
1SKB-VS-1	Plastic Shelf Pullout	2U (Vertical)	16" x 16.5" 40.64 cm x 41.91 cm	7 lbs 3.18 kg
1SKB-VS-2	Metal Shelf Fixed	8U 7° Top Rack	17.375" x 12.5" 44.13 cm x 31.75 cm	4.5 lbs 2.04 kg

美国SKB产品中国总代理 www.sikeb.com



Compact Rigs

Specifications:

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 10U, 7° angled top threaded steel rails for secure mounting of popular mixers/DJ controllers
- Top and doors are injection molded of Rubber Modified Styrene (RMS)
- 2U/4U/6U threaded vertical steel rails on front
- Two removable side access plugs



15KB-R100

10U Roto Rack/Mixer Console



15KB-R106

10U x 6U Roto Rack/Mixer Console



Rig Expander



The 15KB-R1906 provides an extra 12U (6U front/6U back) to 15KB-R100/102/104/106 and 15KB-R19-R1208 Gig Rig

Features



Side access ports for cable routing

Accessories



15KB-AV8 Hook & Loop retract shelf for 7° rack mount



Back of 15KB-R104 rack access



15KB-VS-2 Fixed Hook & Loop rack shelf for 7° rack mount

Model #	Top Rack	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
15KB-R100	10U	None	19" 48.26 cm	23.25" x 22.75" x 11.25" 59.05 cm x 59.69 cm x 28.58 cm	16.4 lbs 7.44 kg
15KB-R102	10U	2U	19" 48.26 cm	23.25" x 23.5" x 14.5" 59.05 cm x 59.69 cm x 36.83 cm	19.8 lbs 8.98 kg
15KB-R104	10U	4U	19" 48.26 cm	23.25" x 23.5" x 17.75" 59.05 cm x 59.69 cm x 45.09 cm	24 lbs 10.89 kg
15KB-R106	10U	6U	19.5" 49.53 cm	23.25" x 23.5" x 21.25" 59.05 cm x 59.69 cm x 53.98 cm	25.75 lbs 11.68 kg
15KB-R1906		6U Front 6U Back	20.75" 52.71 cm	26" x 25.5" x 15" 66.04 cm x 64.77 cm x 38.1 cm	35.8 lbs 16.24 kg

1SKB19-RSF2U

Specifications:

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 2U vertical rack and hook-and-loop laptop surface with adjustable corner cleats
- Two stage retractable handle and easy glide wheels
- Cable pass through from laptop to rack
- Built-in mouse pad surface
- Removable hinged cover



1SKB19-RSF4U

Specifications:

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 4U vertical rack and hook-and-loop laptop surface with adjustable corner cleats
- Two stage retractable handle and easy glide wheels
- Cable pass through from laptop to rack
- Stacks with rolling racks
- Removable hinged cover

美国SKB产品中国总代理 www.sikeb.com



Model #	Top Platform	Rack Units	Rail-to-Door Depth	Outside Dims D x W x H	Product Weight
1SKB19-RSF2U	19.75" x 12" 50.16 cm x 30.48 cm	2U	12" 43.18 cm	14" x 22" x 9.25" 35.56 cm x 55.88 cm x 23.5 cm	16.3 lbs 7.39 kg
1SKB19-RSF4U	21.5" x 15.5" 54.61 cm x 39.37 cm	4U	15.8" 43.18 cm	18.75" x 24.5" x 13.5" 47.63 cm x 62.23 cm x 34.29 cm	23.5 lbs 10.66 kg



Mixer Console Cases

SKB has designed a new line of mixer cases for four of the most popular 32-channel mixers in the market. The 1RMX32-DHW, fits the Behringer X32 mixer, the 1RMQU32-DHW fits the Allen & Heath QU32, the 1RMTF5-DHW fits the Yamaha TF5 and the 1RMM32-DHW fits the Midas M32 mixer. All four roto-molded cases include a large rubber gasket in the lids to keep rain and moisture out. Overall weight is lighter than equivalent road cases while providing superior protection.



1RMX32-DHW

Fits the Behringer X32



1RMQU32-DHW

Fits the Allen & Heath QU32

美国SKB产品中国总代理 www.sikeb.com



4" heavy-duty casters,
large butterfly latches,
and six spring loaded handles



Double wall construction
with custom foam blocks

Mixer Console Cases

1RMTF5-DHW

Fits the Yamaha™ TF5



1RMM32-DHW

Fits the Midas M32



美国SKB产品中国总代理



Mixer Cases



3i1813-7-TMIX

iSeries case fits QSC TouchMix-8 or with a removable piece of foam, the TouchMix-16



3i2217-8-1602

iSeries case for PreSonus StudioLive 1602

1SKB19-P12

12U Pop-Up Mixer case



Bose Speaker Cases



1SKB-5009BL

Fits Bose L1 & L1
Model II speaker



1SKB-4009BP

Fits Bose L1 Model II power
stand/audio engine



Bags & Soft Cases

Universal Bags

Specifications:

- 600 Denier exterior
- Heavy-duty dual zippers
- Adjustable padded shoulder strap
- Double stitched carrying handle
- Convenient padded exterior accessory compartment for iPad or cables

Model #	Inside Dims H x W x D	Product Weight
1SKB-UB0909	9" x 9" x 2.75" 22.86 cm x 22.86 cm x 6.99 cm	1.4 lbs 0.64 kg
1SKB-UB1212	12" x 12" x 4" 30.48 cm x 30.48 cm x 10.16 cm	1.6 lbs 0.73 kg
1SKB-UB1515	15" x 15" x 5" 38.1 cm x 38.1 cm x 12.7 cm	1.9 lbs 0.82 kg
1SKB-UB1818	18" x 18" x 5.5" 45.72 cm x 45.72 cm x 13.97 cm	2.0 lbs 0.91 kg
1SKB-UB2020	20" x 20" x 5.5"<	

Rane® Mixer Cases

These two iSeries cases fit the most popular Rane mixers, with room below the mixer for power cords and cables.



3i1813-7RNE

iSeries case fits Rane TTM57mkii
or with removable foam, fits
Rane MP2014 or Sixty-Two





Wired Mic Cases

3i-0907-MC3

iSeries 3 mic case



3i-0907-MC6

iSeries 6 mic case



3i-2011-MC12

iSeries 12 mic case



3i-2015-MC

Wireless Mic Cases



3i0907-4-SWK

iSeries Sennheiser EW
wireless mic case



3i-1711-XLX

iSeries Shure
wireless mic case



3i-1711-SEW

iSeries Sennheiser
wireless mic case



3i-1813-7WMC

Fits 8 wireless mics,
bodypack transmitters
and accessories



3i-1813-5WMC

Fits 4 wireless mics,
bodypack transmitters
and accessories

美国SKB产品中国总代理 www.sikeb.com

Model #	Interior Foam Description	Outside Dims L x W x D	Product Weight
3i0907-4-SFP	Foam Cut for Shure FP-Wireless System	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs 1.27 kg
3i0907-4-SWK	Foam Cut for Sennheiser EW Wireless Mic Series	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs 1.27 kg
3i-1711-XLX	Foam Cut for Shure SLX/ULX Wireless Mic System	18.25" x 13.79" x 6.81" 46.36 cm x 35.03 cm x 17.3 cm	7.05 lbs 3.2 kg
3i-1711-SEW	Foam Cut for Sennheiser EW Wireless Mic Series	18.25" x 13.79" x 6.81" 46.36 cm x 35.03 cm x 17.3 cm	7.05 lbs 3.2 kg
3i-1813-5WMC	Foam Cut for 4 Wireless Mic System, Bodypacks	19.68" x 15.18" x 5.46" 49.99 cm x 38.56 cm x 13.87 cm	6.6 lbs 2.99 kg
3i-1813-7WMC	Foam Cut for 8 Wireless Mic System, Bodypacks	19.82" x 15.5" x 7.88" 50.34 cm x 39.37 cm x 20.02 cm	8.6 lbs 3.9 kg



Recorder Cases

Zoom H6 Recorders

SKB iSeries Officially Licensed waterproof hard cases were specifically designed for the Zoom H6 recorders with custom cut high quality PE foam interiors. The compact 3i-0907-4-H6 case includes spaces for the recorder, XYH-6 X/Y mic capsule, MSH-6 MS mic capsule, cables, memory cards, and additional accessories. The larger 3i-1209-4-H6B includes additional pockets for the SGH-6 Shotgun mic capsule and EXH-6 Dual XLR/TRS Combo capsule.



3i-0907-4-H6

iSeries Zoom H6 Recorder Case



3i-1209-4-H6B

iSeries Zoom H6 Recorder Case



美国SKB产品中国总代理 www.sikeb.com

Zoom H5 Recorders

SKB iSeries waterproof hard case with custom cut PE foam that includes space for the H5 recorder as well as an open pocket for additional accessories.

3i-0907-4-H5

iSeries Zoom H5 Recorder Case



Model #	Interior Foam Description	Outside Dims L x W x D	Product Weight
3i-0907-4-H5	Foam Cut for Zoom H5 Recorder	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs 1.27 kg
3i-0907-4-H6	Foam Cut for Zoom H6 Recorder	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs 1.27 kg
3i-1209-4-H6B	Foam Cut for Zoom H6 Recorder	13.18" x 11.12" x 5.21" 33.48 cm x 28.24 cm x 13.23 cm	3.6 lbs 1.63 kg

Tripod/Stand Cases



1SKB-R4209W

42" top loading tripod case with top/bottom padding and wheels



1SKB-R3709W

37" top loading tripod case with top/bottom padding and wheels



1SKB-H5020W

XL stand case with wheels and straps

美国SKB产品中国总代理 www.sikeb.com



1SKB-H3611

Small stand case with wheels and straps



1SKB-H4812W

Medium stand case with wheels and straps

Model #	Interior Description	Interior Dims L x W x D	Product Weight
1SKB-R3709W	Tripod Case	37" x 9" x 9" 93.98 cm x 22.86 cm x 22.86 cm	11.6 lbs 5.26 kg
1SKB-R4209W	Tripod Case	42" x 9" x 9" 106.68 cm x 22.86 cm x 22.86 cm	12.8 lbs 5.81 kg
1SKB-H3611	Small Stand Case	36.75" x 12" x 8.25" 93 cm x 30 cm x 35 cm	12.15 lbs 5.51 kg
1SKB-H4812W	Medium Stand Case	48" x 11.25" x 11" 122 cm x 28 cm x 28 cm	15.3 lbs 6.94 kg
1SKB-H4816W	Large Stand Case	48.25" x 16" x 12.35" 122 cm x 41 cm x 31 cm	21.56 lbs 9.78 kg
1SKB-H5020W	XL Stand Case	49.75" x 20" x 13.75" 126 cm x 51 cm x 35 cm	23 lbs 10.43 kg



iSeries


i series

Injection Molded Watertight Cases

Injection molded to be extremely strong and light. INDESTRUCTIBLE.



美国SKB产品中国总代理 www.sikeb.com



Layers of cubed foam for customization



NEW pull handle one finger push button release



High contrast grey padded divider interiors

Specifications:



- Watertight/dust proof design using tongue and groove construction
- Automatic ambient pressure equalization valve allows case to equalize pressures caused by altitude or temperature change
- Impact strength polypropylene co-polymer provides ultimate protection and is lighter while being multiple times stronger than the competition
- Patented "Trigger Latches" stay closed until you want them opened
- Key locking "TSA" accepted versions are available

Custom Foam, Hot Stamping, Colors and Options available in minimum quantities.



3i-4213-12

iSeries Hardware case with extra wide, two hand lift handle and wheels



3i-2918-10

iSeries case measures under 62 linear inches for airline checking without oversize fees

美国SKB产品中国总代理 www.sikeb.com



3i-2011-7B

iSeries Carry-On case is the perfect solution for storing and transporting your delicate electronics, A/V equipment, microphones, mixers, cables or computers

3i-2011-7B-TR

iSeries Tech Box with pull-out handle and wheels





iSeries

i series

Injection Molded Watertight Cases

Injection Molded to be extremely strong and light. INDESTRUCTIBLE.

Model #	Inside Dims L x W x H	Outside Dims L x W x H	Lid Depth	Base Depth	Weight Empty	Pull Handle/ Wheels	Padded Dividers	Cubed Foam	Layered Foam
3i-0702-1	7.63" x 2" x 1" 19.38 cm x 5.08 cm x 2.54 cm	8.75" x 3.25" x 1.63" 22.22 cm x 8.25 cm x 4.14 cm	0.5" 1.27 cm	0.5" 1.27 cm	0.34 lbs 0.15 kg				X
3i-0705-3	7.5" x 5" x 3.25" 19.05 cm x 12.7 cm x 8.25 cm	8.36" x 6.7" x 3.83" 21.23 cm x 17 cm x 9.7 cm	0.5" 1.27 cm	2.75" 7.4 cm	1.17 lbs 0.53 kg			X	
3i-0806-3	8.5" x 6" x 3.75" 21.59 cm x 15.24 cm x 9.5 cm	9.41" x 7.82" x 4.35" 23.9 cm x 19.8 cm x 11 cm	0.5" 1.27 cm	3.25" 8.25 cm	1.65 lbs 0.74 kg			X	
3i-0907-4	9.5" x 7.38" x 4.13" 24.13 cm x 18.75 cm x 10.4 cm	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	1.19" 3 cm	2.94" 7.4 cm	2.4 lbs 1.09 kg		X	X	X
3i-0907-6	9.38" x 7.38" x 6.13" 24.13 cm x 18.75 cm x 15.5 cm	10.68" x 9.69" x 6.82" 27.12 cm x 24.61 cm x 17.32 cm	1.19" 3 cm	4.94" 12.5 cm	2.8 lbs 1.27 kg		X	X	X
3i-1006-3	10.75" x 6.125" x 3.25" 27.3 cm x 15.5 cm x 8.25 cm	11.72" x 8" x 3.86" 29.7 cm x 20.32 cm x 9.8 cm	0.5" 1.27 cm	3.25" 8.25 cm	1.97 lbs 0.89 kg			X	
3i-1209-4	12" x 9" x 4.5" 30.4 cm x 22.8 cm x 11.4 cm	13.18" x 11.12" x 5.21" 33.48 cm x 28.24 cm x 13.23 cm	1.5" 3.8 cm	3" 7.63 cm	3.2 lbs 1.45 kg		X	X	X
3i-1309-6	12.5" x 9.5" x 6.5" 31.75 cm x 24.1 cm x 16.5 cm	14.73" x 11.94" x 7.21" 37.41 cm x 30.33 cm x 18.51 cm	1.5" 3.8 cm	3" 7.63 cm	4.6 lbs 2.08 kg		X	X	
3i-1510-6	15" x 10.38" x 6" 38.1 cm x 26.3 cm x 15.2 cm	16.24" x 12.94" x 6.78" 41.24 cm x 32.86 cm x 17.22 cm	1.75" 4.4 cm	4.25" 10.7 cm	5.2 lbs 2.36 kg		X	X	X
3i-1610-5	16" x 10" x 5.5" 40.6 cm x 25.4 cm x 13.9 cm	17.17" x 12.17" x 6.21" 43.61 cm x 30.91 cm x 15.77 cm	2" 5 cm	3.5" 8.89 cm	5 lbs 2.26 kg		X	X	X
3i-1711-6	17" x 11.5" x 6" 43.18 cm x 29.21 cm x 15.24 cm	18.25" x 13.79" x 6.81" 46.36 cm x 35.03 cm x 17.3 cm	1.75" 4.4 cm	4.25" 10.8 cm	6.1 lbs 2.77 cm		X	X	X
3i-1813-5	18.5" x 13" x 4.75" 47 cm x 33 cm x 12 cm	19.68" x 15.18" x 5.46" 49.99 cm x 38.56 cm x 13.87 cm	1.5" 3.8 cm	3.25" 8.25 cm	5.9 lbs 2.68 kg		X	X	X
3i-1813-7	18.5" x 13" x 7" 47 cm x 33 cm x 17.7 cm	19.82" x 15.5" x 7.88" 50.34 cm x 42.55 cm x 24.97 cm	1.5" 3.8 cm	5.5" 13.9 cm	6.7 lbs 3.02 kg		X	X	
3i-1914-8	19" x 14.38" x 8" 48.26 cm x 36.5 cm x 20 cm	21.26" x 16.75" x 9.83" 54 cm x 42.55 cm x 24.97 cm	2" 5 cm	6" 15.24 cm	12.9 lbs 5.85 kg	X	X	X	X
3i-1914N-8	19" x 14.5" x 8" 48.26 cm x 36.83 cm x 20 cm	20.25" x 16.93" x 8.78" 51.44 cm x 43 cm x 22.3 cm	2" 5 cm	6" 15.24 cm	8 lbs 3.63 kg		X	X	
3i-2011-7	20.38" x 11.44" x 7.5" 51.7 cm x 29 cm x 19 cm	21.89" x 13.96" x 9" 55.6 cm x 35.46 cm x 22.86 cm	2" 5 cm	5.5" 13.9 cm	10.5 lbs 4.76 kg	X	X	X	
3i-2011-8	20.38" x 11.44" x 8" 51.7 cm x 29 cm x 20.3 cm	21.93" x 13.98" x 9" 55.7 cm x 35.51 cm x 22.86 cm	2" 5 cm	6.25" 15.8 cm	7.9 lbs 3.56 kg		X	X	
3i-2015-7	20.5" x 15.5" x 7.5" 52 cm x 39.3 cm x 19 cm	22.27" x 17.98" x 8.32" 56.57 cm x 45.67 cm x 21.13 cm	2" 5 cm	5.5" 13.9 cm	8.9 lbs 4.04 kg		X	X	
3i-2015-10	20.5" x 15.5" x 10" 52 cm x 39.3 cm x 25.4 cm	22.92" x 17.98" x 11.55" 58.22 cm x 45.67 cm x 29.34 cm	2" 5 cm	8" 20.3 cm	13.2 lbs 6 kg	X	X	X	

美国SKB产品中国总代理 www.sikeb.com

Model #	Inside Dims L x W x H	Outside Dims L x W x H	Lid Depth	Base Depth	Weight Empty	Pull Handle/ Wheels	Padded Dividers	Cubed Foam	Layered Foam
3i-2217-8	22" x 17" x 8" 55.88 cm x 43 cm x 20.32 cm	24.32" x 19.5" x 8.86" 61.77 cm x 49.53 cm x 22.5 cm	2" 5 cm	6" 15.24 cm	11 lbs 4.98 kg		X	X	
3i-2217-10	22" x 17" x 10.5" 55.88 cm x 43 cm x 26.6 cm	24.5" x 19.37" x 12.22" 62.33 cm x 49.2 cm x 31.04 cm	2" 5 cm	8.5" 21.6 cm	16.9 lbs 7.66 kg	X	X	X	
3i-2217-12	22" x 17" x 12.7" 55.88 cm x 43 cm x 32.2 cm	24.34" x 19.47" x 14.38" 61.82 cm x 49.45 cm x 36.53 cm	2" 5 cm	10.7" 27.18 cm	18.2 lbs 8.25 kg	X	X	X	
3i-2222-12	22.5" x 22.5" x 12.5" 57.15 cm x 57.15 cm x 31.75 cm	24.82" x 25" x 14.15" 62.02 cm x 63.45 cm x 35.94 cm	2" 5 cm	10.5" 26.6 cm	20.6 lbs 9.34 kg	X	X	X	
3i-2317-14	23" x 17" x 14" 58.42 cm x 43 cm x 35.5 cm	25.63" x 19.5" x 15.63" 65.09 cm x 49.53 cm x 39.69 cm	2.5" 6.35 cm	11.5" 29.2 cm	19.9 lbs 9 kg	X		X	
3i-2421-7	24.12" x 21" x 7" 61.26 cm x 53.34 cm x 17.78 cm	26.21" x 23.52" x 8.65" 66.57 cm x 59.74 cm x 21.97 cm	2" 5 cm	5" 12.5 cm	18.4 lbs 8.35 kg	X		X	
3i-2424-14	24" x 24" x 14" 60.96 cm x 60.96 cm x 35.56 cm	26.5" x 26.54" x 15.65" 67.31 cm x 67.41 cm x 39.75 cm	2.5" 6.35 cm	11.5" 29.2 cm	24.5 lbs 11.11 kg	X		X	
3i-2617-12	26" x 17.5" x 12" 66.04 cm x 44.45 cm x 30.5 cm	28.6" x 20" x 13.65" 72.64 cm x 50.8 cm x 24.67 cm	2" 5 cm	10" 25.4 cm	20.8 lbs 9.4 kg	X	X	X	
3i-2918-10	29" x 18" x 10.85" 73.66 cm x 45.7 cm x 27.5 cm	31.66" x 20.54" x 12.5" 80.06 cm x 52.91 cm x 31.75 cm	2" 5 cm	8.85" 22 cm	21.6 lbs 9.7 kg	X	X	X	
3i-2918-14	29" x 18" x 14" 73.66 cm x 45.7 cm x 35.5 cm	31.63" x 20.5" x 15.75" 80.13 cm x 52.07 cm x 40.01 cm	2.5" 6.35 cm	11.5" 29.2 cm	23.2 lbs 10.5 kg	X		X	
3i-2922-16	29" x 22" x 16" 73.66 cm x 55.88 cm x 40.64 cm	32" x 24.5" x 16.875" 81.28 cm x 62.23 cm x 42.86 cm	2" 5 cm	14" 35.56 cm	28 lbs 12.7 kg	X		X	
3i-3019-12	30.5" x 19.5" x 12" 77.47 cm x 49.53 cm x 30.48 cm	33.42" x 22.04" x 12.87" 84.88 cm x 55.98 cm x 32.68 cm	2" 5 cm	10" 40.64 cm	23.5 lbs 10.6 kg	X		X	
3i-3021-18	30" x 21" x 18" 76.2 cm x 53.3 cm x 45.7 cm	32.94" x 23.53" x 18.87" 83.67 cm x 59.77 cm x 47.93 cm	2" 5 cm	16" 40.64 cm	28.8 lbs 13 kg	X		X	
3i-3026-15	30.75" x 26" x 15.5" 78 cm x 66 cm x 39.3 cm	33.71" x 28.53" x 16.37" 85.62 cm x 72.47 cm x 41.55 cm	2" 5 cm	13.5" 34.29 cm	31.6 lbs 14.3 kg	X		X	
3i-3614-6	36.5" x 14.5" x 6" 92.7 cm x 36.83 cm x 15 cm	39.04" x 16.81" x 6.84" 99.16 cm x 42.7 cm x 17.37 cm	1.5" 3.8 cm	4.5" 11.43 cm	15.2 lbs 6.89 kg	X			X
3i-4213-12	42.5" x 13.5" x 12" 108 cm x 34.2 cm x 30.5 cm	45.1" x 16.03" x 12.97" 114.55 cm x 40.72 cm x 32.94 cm	2" 5 cm	10" 25.4 cm	22.6 lbs 10.25 kg	X			X
3i-4214-5	42.5" x 14.5" x 5.5" 107.9 cm x 36.83 cm x 14 cm	44.96" x 16.98" x 6.34" 114.2 cm x 43.13 cm x 16.1 cm	1.5" 3.8 cm	4" 10.16 cm	16.5 lbs 7.48 kg	X			X
3i-4217-7	42.5" x 17" x 7.5" 107.9 cm x 43.18 cm x 19 cm	45.12" x 19.45" x 8.34" 114.6 cm x 49.4 cm x 21.18 cm	2" 5 cm	5.5" 13.9 cm	20.3 lbs 9.21 kg	X			X
3i-4719-8	47" x 19" x 8" 119.38 cm x 48.26 cm x 20.32 cm	49.66" x 21.51" x 8.87" 126.13 cm x 54.63 cm x 22.52 cm	2" 5 cm	5.5" 13.9 cm	23.4 lbs 10.61 kg	X			X
3i-4909-5	49" x 9" x 5" 124.5 cm x 22.9 cm x 12.7 cm	50.35" x 11.54" x 5.84" 127.89 cm x 29.31 cm x 14.83 cm	1.5" 3.8 cm	3.5" 8.9 cm	12.4 lbs 5.6 kg	X			X
3i-5014-6	50.5" x 14.5" x 6" 128.27 cm x 36.83 cm x 15 cm	53.04" x 16.98" x 6.84" 134.72 cm x 43.13 cm x 17.37 cm	1.5" 3.8 cm	4.5" 11.43 cm	18.9 lbs 8.5 kg	X			X

美国SKB产品中国总代理 www.sikeb.com

Colored Handles

Model #	Description
3i-HD73-BE	Small handle, Blue Overmold
3i-HD73-GN	Small handle, Yellow Overmold
3i-HD73-RD	Small handle, Red Overmold
3i-HD73-YW	Small handle, Green Overmold
3i-HD80-BE	Medium handle, Blue Overmold
3i-HD80-GN	Medium handle, Yellow Overmold
3i-HD80-RD	Medium handle, Red Overmold
3i-HD80-YW	Medium handle, Green Overmold
3i-HD81-BE	Large handle, Blue Overmold
3i-HD81-GN	Large handle, Yellow Overmold
3i-HD81-RD	Large handle, Red Overmold
3i-HD81-YW	Large handle, Green Overmold



美国SKB产品中国总代理 www.sikeb.com




Lid Organizers

Model #	Description
3i-L02015-1	Lid Organizer for 3i-2015
3i-L02918-1	Lid Organizer for 3i-2918
3i-L02217-1	Lid Organizer for 3i-2217
3i-L02011-1	Lid Organizer for 3i-2011



Panel Mount Kit

Model #	Description
3i-PMCK	iSeries Panel Mount Clip Kit



Locking Latches

Model #	Description
3i-TSA-1	Small TSA Locking Latch Kit
3i-TSA-2	Medium TSA Locking Latch Kit
3i-TSA-3	Large TSA Locking Latch Kit



TSA Padlocks

Model #	Description
1SKB-PDL	TSA Pad Locks (2-pack)
1SKB-PDL-C	TSA Pad Cable Locks (2-pack)





Rotationally Molded Watertight Cases

Roto-molded for strength and ergonomic design, these cases are impenetrable, yet lightweight with a LMDPE shell for maximum impact resistance.



Model #	Inside Dims L x W x H	Lid Depth	Base Depth	Pull Handle/ Wheels	Caster Kit*	Padded Dividers	Cubed Foam	Layered Foam
3R1919-14B	19" x 18.75" x 14.375" / 48.26 cm x 47.6 cm x 36.5 cm	3" / 7.62 cm	11.375" / 28.9 cm	X			X	
3R2216-15B	22" x 16" x 15" / 55.9 cm x 40.6 cm x 38.1 cm	3" / 7.62 cm	12" / 30.5 cm					
3R2217-10B	22" x 17" x 10.5" / 55.9 cm x 43.18 cm x 26.67 cm	3" / 7.62 cm	7.5" / 19 cm	X		X	X	
3R2222-12B	22" x 22" x 12" / 55.9 cm x 55.9 cm x 30.5 cm	3" / 7.62 cm	9" / 22.86 cm	X		X	X	
3R2222-20B	22" x 22" x 20" / 55.9 cm x 55.9 cm x 50.8 cm	3.5" / 8.9 cm	16.5" / 42 cm		X	X		
3R2423-17B	24" x 23" x 17" / 61 cm x 58.5 cm x 43 cm	3.5" / 8.9 cm	13.5" / 34.3 cm	X			X	
3R2424-24B	24" x 24" x 24" / 61 cm x 61 cm x 61 cm	3.5" / 8.9 cm	20.5" / 52 cm		X			X
3R2727-18B	27" x 27" x 18" / 68.5 cm x 68.5 cm x 45.7 cm	3.5" / 8.9 cm	20.5" / 52 cm		X			X
3R2727-27B	27" x 27" x 27" / 68.5 cm x 68.5 cm x 68.5 cm	3.5" / 8.9 cm	23.5" / 59.6 cm		X			X
3R2817-10B	28" x 17.5" x 10.5" / 71.1 cm x 44.5 cm x 26.67 cm	2" / 5.08 cm	8.5" / 21.6 cm	X			X	
3R3015-15B	30" x 25" x 15" / 76.2 cm x 63.5 cm x 38.1 cm	3.5" / 8.9 cm	11.5" / 29.21 cm	X			X	
3R3214-15B	32" x 14.5" x 15.75" / 81.28 cm x 36.83 cm x 40 cm	3.75" / 9.5 cm	12.5" / 31.75 cm	X			X	
3R3214-15B	32" x 14.5" x 15.75" / 90.5 cm x 43.8 cm x 35.56 cm	3" / 7.6 cm	11.5" / 29.21 cm	X			X	
3R3517-14B	35.63" x 17" x 14" / 101.6 cm x 61 cm x 45.72 cm	3.5" / 8.9 cm	14.5" / 37 cm		X		X	
3R4024-18B	40.13" x 24" x 18.38" / 101.93 cm x 60.96 cm x 46.69 cm	3.88" / 9.86 cm	14.5" / 36.83 cm					
3R4024-24B	40" x 24" x 24" / 101.6 cm x 61 cm x 61 cm	3.5" / 8.9 cm	20.5" / 52 cm		X			X
3R4417-8B	44.25" x 17.5" x 8" / 112 cm x 44.5 cm x 20 cm	3.125" / 8 cm	4.875" / 12.4 cm	X				
3R4530-24B	45" x 30" x 24" / 114 cm x 76 cm x 61 cm	3.5" / 8.9 cm	20.5" / 52 cm		X			X
3R4909-5B	49.5" x 9" x 5.5" / 125 cm x 23 cm x 14 cm	2.25" / 5.8 cm	3.5" / 8.9 cm					
3R5030-24B	50" x 30" x 24" / 127 cm x 76 cm x 61 cm	3.5" / 8.9 cm	20.5" / 52 cm		X			X
3R5212-7B	52.5" x 12.125" x 8" / 133 cm x 31 cm x 20 cm	3.125" / 8 cm	4.875" / 12.4 cm	X				
3R6218-10B	62.625" x 18.25" x 10" / 160 cm x 46 cm x 25 cm	3" / 7.6 cm	7" / 17.8 cm	X				
3R6223-10B	62.625" x 23.25" x 10" / 160 cm x 60 cm x 25 cm	3" / 7.6 cm	7" / 17.8 cm	X				
3R6416-8B	64" x 16" x 8" / 162.56 cm x 40.64 cm x 20.32 cm	3" / 7.6 cm	7" / 17.8 cm	X				
3R6820-20B	68" x 20" x 20.6" / 172.75 cm x 50.8 cm x 52.32 cm	3.5" / 8.9 cm	17.1" / 43.43 cm	X	X			

* 3SKB-CAST1 Caster Plate & Wheel Kit available separately

Rotationally Molded Transport Cases



Model #	Inside Dims L x W x D	Lid Depth	Body Depth	Product Weight
3SKB-X1814-12	18" x 14" x 12" 45.7 cm x 35.6 cm x 30.5 cm	3" 7.6 cm	9" 22.9 cm	15.8 lbs 7.17 kg
3SKB-X1818-10	18" x 18" x 10" 45.7 cm x 45.7 cm x 25.4 cm	4.5" 11.4 cm	4.5" 11.4 cm	17.15 lbs 7.78 kg
3SKB-X1818-14	18" x 18" x 14" 45.7 cm x 45.7 cm x 35.6 cm	4.5" 11.4 cm	9.5" 24.1 cm	17.75 lbs 8.05 kg
3SKB-X1818-18	18" x 18" x 18" 45.7 cm x 45.7 cm x 45.7 cm	4" 10.2 cm	14" 35.6 cm	22.85 lbs 8.05 kg
3SKB-X2318-16	23" x 18" x 16" 45.7 cm x 35.6 cm x 30.5 cm	3" 7.6 cm	13" 33 cm	24.05 lbs 10.91 kg
3SKB-X2415-10	24" x 15" x 10" 61 cm x 38.1 cm x 24.4 cm	5" 12.7 cm	5" 12.7 cm	30 lbs 13.61 kg
3SKB-X2424-14	24" x 24" x 14" 61 cm x 61 cm x 35.6 cm	3" 7.6 cm	11" 27.9 cm	29.65 lbs 13.45 kg
3SKB-X2424-18	24" x 24" x 18" 61 cm x 61 cm x 45.7 cm	3" 7.6 cm	15" 38.1 cm	31.5 lbs 14.29 kg
3SKB-X2424-22	24" x 24" x 22" 61 cm x 61 cm x 55.9 cm	7" 17.8 cm	15" 38.1 cm	33 lbs 14.97 kg
3SKB-X2513-15	25.25" x 12.75" x 16" 64.1 cm x 32.4 cm x 40.6 cm	4" 10.2 cm	11" 30.5 cm	17.7 lbs 8.04 kg
3SKB-X2624-32	26" x 24" x 32" 66 cm x 61 cm x 81.3 cm	12" 30.5 cm	20" 50.8 cm	47.15 lbs 21.38 kg
3SKB-X2719-10	27" x 19" x 10" 68.6 cm x 48.3 cm x 25.4 cm	5" 12.7 cm	5" 12.7 cm	22.45 lbs 10.18 kg
3SKB-X2828-22	28" x 28" x 22" 71.1 cm x 71.1 cm x 55.9 cm	8" 20.3 cm	14" 35.6 cm	42.5 lbs 19.27 kg
3SKB-X2915-14	29" x 15" x 14" 73.7 cm x 38.1 cm x 35.6 cm	3" 7.6 cm	11" 27.9 cm	23.8 lbs 10.79 kg
3SKB-X3226-30	32" x 26" x 30" 81.3 cm x 66 cm x 76.2 cm	8" 20.3 cm	22" 55.9 cm	53.85 lbs 24.42 kg
3SKB-X3426-16	34" x 26" x 16" 86.4 cm x 66 cm x 40.6 cm	3" 7.6 cm	13" 33 cm	30.4 lbs 13.79 kg
3SKB-X3518-15	35" x 18" x 15" 88.9 cm x 45.7 cm x 38.1 cm	5" 12.7 cm	10" 25.4 cm	30.8 lbs 13.79 kg
3SKB-X3722-21	37.25" x 21.75" x 21.75" 94.6 cm x 55.2 cm x 55.2 cm	6.5" 16.5 cm	15.25" 38.7 cm	44.85 lbs 20.34 kg
3SKB-X4530-24*	43.25" x 28.25" x 21.75" 94.6 cm x 71.7 cm x 55.2 cm	3.25" 8.3 cm	18.5" 47 cm	71.8 lbs 32.56 kg
3SKB-X5026-16	50" x 26" x 16" 127 cm x 66 cm x 40.6 cm	3" 7.6 cm	13" 33 cm	65.45 lbs 29.68 kg
3SKB-X5030-24	50" x 30" x 24" 127 cm x 76.2 cm x 61 cm	4" 10.2 cm	20" 50.8 cm	87.5 lbs 39.68 kg

* Includes casters

美国SKB产品中国总代理 www.sikeb.com



Rack Cases

Audio Soft Racks

Specifications:

- Ideal for wireless microphone systems
- Constructed of a wood core covered by 600 Denier nylon
- Adjustable shoulder strap and loop handle for easy transport
- Padded front and back lids have heavy-duty zippers
- Recessed threaded steel rack rails



Model #	Rack Units	Front Rail-to-Back Flap	Outside Dims D x W x H	Product Weight
1SKB19-SC191U	1U	14.8" 37.6 cm	17.5" x 20.75" x 3.75" 44.45 cm x 52.71 cm x 9.53 cm	6.55 lbs 2.97 kg
1SKB19-SC192U	2U	14.8" 37.6 cm	17.5" x 20.75" x 6.5" 44.45 cm x 52.71 cm x 16.51 cm	8.95 lbs 4.06 kg

Roto Shallow Racks

Rotomolded shallow rack cases 美国SKB产品中国总代理 www.sikeb.com

Specifications:

- Steel front/rear threaded rails
- Water resistant gasket in lids
- Full front/rear doors
- Stacks with other shallow racks or roto-molded standard depth racks



Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R2S	2U	10.7" 27.17 cm	16.2" x 22.4" x 5.5" 41.15 cm x 56.9 cm x 13.97 cm	9.2 lbs 4 kg
1SKB-R3S	3U	10.7" 27.17 cm	16.2" x 22.4" x 7.4" 41.15 cm x 56.9 cm x 18.8 cm	10.4 lbs 4.7 kg
1SKB-R4S	4U	10.7" 27.17 cm	16.2" x 22.4" x 9" 41.15 cm x 56.9 cm x 22.86 cm	12.8 lbs 5.8 kg
1SKB-R6S	6U	10.7" 27.17 cm	16.2" x 22.4" x 12.6" 41.15 cm x 56.9 cm x 32 cm	17.4 lbs 7.9 kg
1SKB-RCB	4-Caster Board			

A standard Rack Unit is 1.75 inches (4.445 cm) in height

Roto Racks

Rotationally molded standard depth rack cases.

Specifications:

- Steel front/rear threaded rails
- Water resistant gasket in lids
- Full front/rear doors
- Stacks with other standard depth racks or roto-molded shallow racks



Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R2U	2U	17.6" 44.96 cm	24" x 22.4" x 6.2" 60.96 cm x 56.9 cm x 15.75 cm	10.8 lbs 4.9 kg
1SKB-R4U	4U	17.6" 44.96 cm	24" x 22.4" x 9.7" 60.96 cm x 56.9 cm x 24.64 cm	14.4 lbs 6.53 kg
1SKB-R6U	6U	17.6" 44.96 cm	24" x 22.4" x 13.2" 60.96 cm x 56.9 cm x 33.53 cm	18.4 lbs 8.53 kg
1SKB-R8U	8U	17.6" 44.96 cm	24" x 22.4" x 16.7" 60.96 cm x 56.9 cm x 42.42 cm	22.2 lbs 10.07 kg
1SKB-R10U	10U	17.6" 44.96 cm	24" x 22.4" x 20.2" 60.96 cm x 56.9 cm x 51.31 cm	25.4 lbs 11.52 kg
1SKB-R12U	12U	17.6" 44.96 cm	24" x 22.4" x 23.7" 60.96 cm x 56.9 cm x 60.2 cm	29.2 lbs 13.24 kg
1SKB-RCB	4-Caster Board			

美国SKB产品中国总代理 www.sikeb.com

Roto Rolling Racks

Rotationally molded rolling rack models offer secure protection with the convenience of sturdy built-in wheels and a pull handle.

Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R4W	4U	18.75" 47.6 cm	24.5" x 24" x 10.75" 62.23 cm x 60.96 cm x 27.31 cm	17.25 lbs 7.82 kg
1SKB-R6W	6U	18.75" 47.6 cm	24.5" x 24" x 14" 62.23 cm x 60.96 cm x 35.56 cm	19.6 lbs 8.89 kg
1SKB-R8W	8U	18.75" 47.6 cm	24.5" x 24" x 18" 62.23 cm x 60.96 cm x 45.72 cm	27.5 lbs 12.47 kg





iSeries Racks

Fly Rack Cases

The Fly Racks, housed in our military grade iSeries waterproof cases, contain a removable rack cage surrounded by high density PE foam blocks. The frame is built of high-strength aluminum alloy and 11 gauge carbon steel rack rails (front/back). Our Fly Racks are half the weight of traditional shock racks, and are less than 62 linear inches, eliminating any oversized baggage fees. The 3U and 4U versions include pull handle and wheels. All three cases include TSA latches and are made entirely in the USA.



3i-2217-82U



3i-2217-103U



3i-2217-124U



Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
3i-2217-82U	2U	13" 33.02 cm	24.32" x 19.5" x 8.86" 61.77 cm x 49.53 cm x 22.5 cm	19.8 lbs 8.98 kg
3i-2217-103U	3U	13" 33.02 cm	24.5" x 19.37" x 12.22" 62.23 cm x 49.2 cm x 31.04 cm	27.4 lbs 12.43 kg
3i-2217-124U	4U	13" 33.02 cm	24.34" x 19.47" x 14.38" 61.82 cm x 49.45 cm x 36.53 cm	28.8 lbs 14.33 kg

20" Roto-Molded Shock Racks

All models of SKB's Shock Rack cases are rotationally molded of LMDPE for maximum impact resistance, and feature the latest in shockmount technology with elastomeric shocks, threaded steel rails and aluminum cross components for strength and durability. All models of Shock Racks have EIA standard 19" rack width and include rear rails and covers for support and accessibility. The 28" and Pullout Shock Racks have standard square hole rack rails and accept most sliding rail kits.




Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R904U20	4U	20" 50.8 cm	27.75" x 27" x 15.63" 70.48 cm x 68.58 cm x 39.7 cm	36 lbs 16.3 kg
1SKB-R906U20	6U	20" 50.8 cm	27.75" x 27" x 19.13" 70.48 cm x 68.58 cm x 48.59 cm	43.3 lbs 19.6 kg
1SKB-R908U20	8U	20" 50.8 cm	29" x 27.75" x 22.63" 73.66 cm x 70.48 cm x 57.48 cm	46.5 lbs 21.1 kg
1SKB-R910U20	10U	20" 50.8 cm	29" x 27.75" x 26.13" 73.66 cm x 70.48 cm x 66.37 cm	54.4 lbs 24.6 kg
1SKB-R912U20	12U	20" 50.8 cm	29" x 27.75" x 29.63" 73.66 cm x 70.48 cm x 75.2 cm	57 lbs 25.85 kg
1SKB-R914U20	14U	20" 50.8 cm	29" x 27.88" x 33" 73.66 cm x 70.81 cm x 83.82 cm	68.6 lbs 31 kg
1SKB-R916U20	16U	20" 50.8 cm	29" x 27.25" x 36.6" 73.66 cm x 69.21 cm x 92.9 cm	76 lbs 34.47 kg
1SKB-1916	Caster Cart			

美国SKB产品中国总代理 www.sikeb.com

20" Roto Rolling Shock Racks

Our 20" Roto Rolling Shock Racks feature eight elastomeric shocks with a standard payload range from 40 lbs to 150 lbs.



Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
3SKB-R04U20W	4U	20" 50.8 cm	28.5" x 28" x 16" 72.39 cm x 71.12 cm x 40.64 cm	44.3 lbs 20.1 kg
3SKB-R06U20W	6U	20" 50.8 cm	28.5" x 28" x 19.5" 72.39 cm x 71.12 cm x 49.53 cm	50.7 lbs 23 kg
3SKB-R08U20W	8U	20" 50.8 cm	30.5" x 28" x 23" 77.47 cm x 68.58 cm x 58.42 cm	56.7 lbs 25.7 kg
3SKB-R10U20W	10U	20" 50.8 cm	30.5" x 28" x 26.5" 77.47 cm x 68.58 cm x 67.31 cm	61.7 lbs 28 kg
3SKB-R12U20W	12U	20" 50.8 cm	30.5" x 28" x 30" 77.47 cm x 68.58 cm x 76.2 cm	68 lbs 30.8 kg



Military-Grade Shock Racks

24", 28" and 30" Shock Racks

Specifications:

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- Compound hinge allow lids to store on the sides of the case
- Lids are easy to remove and reinstall in seconds
- Lids are fitted with rubber gaskets for water resistant protection
- 8 elastomer, high damping, shock mounts (additional shocks can be added for heavier payloads)
- Automatic ambient pressure equalization valve (MIL-STD-648C)
- Standard high quality slide-in/out locking swivel 4" casters
- Black power coated stainless steel key-lockable latches
- 4.5" lid depth in the front/rear



Corner elastomer shock mounts



4" removable casters on aluminum plate



Square rack mounting holes on 28" deep rack versions

Model #	Rack Units	Rail Type	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
3SKB-R904U24	4U	Threaded	24" 61 cm	36" x 26.75" x 16.25" 91.44 cm x 67.95 cm x 41.28 cm	58 lbs 26.3 kg
3SKB-R906U24	6U	Threaded	24" 61 cm	36" x 26.75" x 19.5" 91.44 cm x 67.95 cm x 49.53 cm	66.7 lbs 30.2 kg
3SKB-R908U24	8U	Threaded	24" 61 cm	36" x 26.75" x 23.25" 91.44 cm x 67.95 cm x 59.06 cm	74.1 lbs 33.9 kg
3SKB-R910U24	10U	Threaded	24" 61 cm	36" x 26.75" x 27" 91.44 cm x 67.95 cm x 68.58 cm	79.9 lbs 36.2 kg
3SKB-R912U24	12U	Threaded	24" 61 cm	36" x 26.75" x 30.5" 91.44 cm x 67.95 cm x 77.47 cm	83.25 lbs 37.76 kg
3SKB-R914U24	14U	Threaded	24" 61 cm	36" x 26.75" x 34" 91.44 cm x 67.95 cm x 86.36 cm	94.15 lbs 107 kg
3SKB-R916U24	16U	Threaded	24" 61 cm	36" x 26.75" x 37.5" 91.44 cm x 67.95 cm x 91.28 cm	102.55 lbs 46.52 kg
3SKB-R904U28	4U	Square Hole	29.25" 74.3 cm	42" x 26.75" x 16.25" 106.68 cm x 67.95 cm x 41.28 cm	60.75 lbs 27.56 kg
3SKB-R906U28	6U	Square Hole	29.25" 74.3 cm	42" x 26.75" x 19.5" 106.68 cm x 67.95 cm x 49.53 cm	66.75 lbs 30.28 kg
3SKB-R908U28	8U	Square Hole	29.25" 74.3 cm	42" x 26.75" x 23.25" 106.68 cm x 67.95 cm x 59.06 cm	76.8 lbs 34.84 kg
3SKB-R910U28	10U	Square Hole	29.25" 74.3 cm	42" x 26.75" x 27.25" 106.68 cm x 67.95 cm x 69.22 cm	79.85 lbs 36.22 kg
3SKB-R904U30	4U	Threaded	30" 76.2 cm	42" x 26.75" x 16.25" 106.68 cm x 67.95 cm x 41.28 cm	60.75 lbs 27.56 kg
3SKB-R906U30	6U	Threaded	30" 76.2 cm	42" x 26.75" x 19.5" 106.68 cm x 67.95 cm x 49.53 cm	66.75 lbs 30.28 kg
3SKB-R908U30	8U	Threaded	30" 76.2 cm	42" x 26.75" x 23.25" 106.68 cm x 67.95 cm x 59.06 cm	76.8 lbs 34.84 kg
3SKB-R910U30	10U	Threaded	30" 76.2 cm	42" x 26.75" x 27.25" 106.68 cm x 67.95 cm x 69.22 cm	79.85 lbs 36.22 kg

美国SKB产品中国总代理 www.sikeb.com

Military-Grade Shock Racks

Removable Shock Racks

3RR Removable (slide out) Series inner rack system designed to meet ANSI/EIA-310-C standards with patent pending "positive lock" inner rack latch. Standard color is Black, also available in Desert Tan (shown) or OD Green.

3RR-7U24-25

2" front lid and 5" rear lid
with edge casters standard

3RR-9U24-25

Black powder coated stainless
steel hardware (standard) which
is recessed for protection



Case coupling straps come standard and molded
in stacking ribs and lugs are designed to stack
with competitive manufacturers' cases.

美国SKB产品中国总代理 www.sikeb.com

Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
3RR-3U24-25	3U	24" 60.96 cm	39.05" x 23.8" x 11.84" 99 cm x 60.45 cm x 30 cm	59 lbs 26.8 kg
3RR-3U30-25	3U	30" 76.2 cm	45.03" x 23.8" x 11.82" 114.38 cm x 60.45 cm x 30.02 cm	63.2 lbs 28.67 kg
3RR-4U24-25	4U	24" 60.96 cm	39.05" x 23.8" x 13.54" 99 cm x 60.45 cm x 34.39 cm	62 lbs 28.1 kg
3RR-4U30-25	4U	30" 76.2 cm	45.03" x 23.8" x 13.54" 114.38 cm x 60.45 cm x 34.39 cm	66.6 lbs 32.21 kg
3RR-5U24-25	5U	24" 60.96 cm	39.05" x 23.8" x 15.34" 99 cm x 60.45 cm x 38.96 cm	66 lbs 29.94 kg
3RR-5U30-25	5U	30" 76.2 cm	45.03" x 23.8" x 15.34" 114.38 cm x 60.45 cm x 38.96 cm	68.6 lbs 31.12 kg
3RR-7U24-25	7U	24" 60.96 cm	39.05" x 23.8" x 18.84" 99 cm x 60.45 cm x 47.85 cm	71 lbs 32.21 kg
3RR-9U24-25	9U	24" 60.96 cm	39.05" x 23.8" x 22.34" 99 cm x 60.45 cm x 30 cm	78 lbs 35.38 kg
3RR-11U24-25	11U	24" 60.96 cm	39.05" x 23.8" x 25.84" 99 cm x 60.45 cm x 65.63 cm	84 lbs 38.1 kg
3RR-14U24-25	14U	24" 60.96 cm	39.05" x 23.8" x 30.94" 99 cm x 60.45 cm x 78.58 cm	92 lbs 41.73 kg



PRO AUDIO CASES

Superior Protection and Effortless Mobility

SKB Warranty

Lifetime Warranty

SKB injection molded, roto-molded, and ATA-rated hard case products are fully warranted against defects in materials and craftsmanship for the lifetime of the case to the original owner. SKB will repair or replace any product found to be defective. SKB DOES NOT REPLACE CASES FOR DAMAGED HARDWARE. All locks, handles, and wheels have been made to be field replaceable, take just minutes to install, and will be supplied to you at no charge via US mail. Please contact our customer service department at (800) 654-5992 with any parts requests.

美国SKB产品中国总代理 www.sikeb.com

Soft Product Warranty

SKB Soft Products are fully warranted to the original owner against defects in materials and craftsmanship for one (1) year from purchase. Any defects in workmanship will be covered by SKB. Damages due to accident, improper care, negligence or normal wear, where SKB is not at fault, are not covered.

CORPORATE & MANUFACTURING HEADQUARTERS

434 W. Levers Place, Orange CA 92867

ph: 714.637.1252

www.skbcases.com

SKB EUROPE

Hamelendijk 2

5541 RA Reusel

Netherlands

ph: +31 (0)497 339 836

www.sk-b-europe.com

